

$N(1860) 5/2^+$ $I(J^P) = \frac{1}{2}(\frac{5}{2}^+)$ Status: **

OMITTED FROM SUMMARY TABLE

Before the 2012 *Review*, all the evidence for a $J^P = 5/2^+$ state with a mass above 1800 MeV was filed under a two-star $N(2000)$. There is now some evidence from ANISOVICH 12A for two $5/2^+$ states in this region, so we have split the older data (according to mass) between two two-star $5/2^+$ states, an $N(1860)$ and an $N(2000)$.

 $N(1860)$ POLE POSITION**REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1834 \pm 19 \pm 6$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1830^{+120}_{-60}	ANISOVICH	12A	DPWA Multichannel
1807	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1863	SHRESTHA	12A	DPWA Multichannel

−2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$122 \pm 34 \pm 7$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
250^{+150}_{-50}	ANISOVICH	12A	DPWA Multichannel
109	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
189	SHRESTHA	12A	DPWA Multichannel

 $N(1860)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$4 \pm 1 \pm 1$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
50 ± 20	ANISOVICH	12A	DPWA Multichannel
60	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-39 \pm 18 \pm 9$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
-80 ± 40	ANISOVICH	12A	DPWA Multichannel
-67	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

$N(1860)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1820 to 1960 (≈ 1860) OUR ESTIMATE			
1860 $\begin{smallmatrix} +120 \\ -60 \end{smallmatrix}$	ANISOVICH	12A	DPWA Multichannel
1817.7	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1882 ± 10	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1900 ± 7	SHRESTHA	12A	DPWA Multichannel

 $N(1860)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
270 $\begin{smallmatrix} +140 \\ -50 \end{smallmatrix}$	ANISOVICH	12A	DPWA Multichannel
117.6	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
95 ± 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
219 ± 23	SHRESTHA	12A	DPWA Multichannel

 $N(1860)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	4–20 %
Γ_2 $N\eta$	seen
Γ_3 $N\pi\pi$	
Γ_4 $N\sigma$	seen
Γ_5 $p\gamma$	
Γ_6 $p\gamma$, helicity=1/2	seen
Γ_7 $p\gamma$, helicity=3/2	seen
Γ_8 $n\gamma$	
Γ_9 $n\gamma$, helicity=1/2	
Γ_{10} $n\gamma$, helicity=3/2	

 $N(1860)$ BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u>Γ_1/Γ</u>
20 ± 6	ANISOVICH	12A	DPWA Multichannel	
12.7	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$	
4 ± 2	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
17 ± 1	SHRESTHA	12A	DPWA Multichannel	

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ
VALUE (%) DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

4 ± 2 SHRESTHA 12A DPWA Multichannel

$\Gamma(N\sigma)/\Gamma_{\text{total}}$ Γ_4/Γ
VALUE (%) DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

41 ± 6 SHRESTHA 12A DPWA Multichannel

$N(1860)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(1860) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV^{-1/2}) DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.017 ± 0.003 SHRESTHA 12A DPWA Multichannel

$N(1860) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.029 ± 0.004 SHRESTHA 12A DPWA Multichannel

$N(1860) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV^{-1/2}) DOCUMENT ID TECN COMMENT

0.021 ± 0.013 ANISOVICH 13B DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.010 ± 0.005 SHRESTHA 12A DPWA Multichannel

$N(1860) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV^{-1/2}) DOCUMENT ID TECN COMMENT

0.034 ± 0.017 ANISOVICH 13B DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.009 ± 0.005 SHRESTHA 12A DPWA Multichannel

$N(1860)$ FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

$N(1860)$ REFERENCES

SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i> (BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley (KSU)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i> (GWU)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i> (KARLT)